ELSEVIER

Neuroscience Letters 376 (2005) 221–223

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 376

Ackley, M.A., Baldwin, S.A., King, A.E., Adenosine contributes to μ-opioid synaptic inhibition in rat substantia gelatinosa in vitro, 102
Adani, R., see Nizri, E., 46
Aldegunde, M., see Vieira, R., 111
Allen, G.C., Earnest, D.J., Overlap in the distribution of TrkB immunoreactivity and retinohypothalamic tract innervation of the rat suprachiasmatic nucleus, 200
Amitai, G., see Nizri, E., 46
Aoo, N., see Mishima, K., 194
Aragon, C.M.G., see Sanchis-Segura, C., 66

Bahk, W.-M., see Lee, S.-H., 177
Baldwin, S.A., see Ackley, M.A., 102
Bastin, J., Montagne, G., The perceptual support of goal-directed displacement is context-dependent, 121
Benedetti, F., Serretti, A., Pontiggia, A., Bernasconi, A., Lorenzi, C., Colombo, C., Smeraldi, E., Long-term response to lithium salts in bipolar illness is influenced by the glycogen synthase kinase 3-β −50 T/C SNP, 51
Bernasconi, A., see Benedetti, F., 51
Bittner, G.D., see Stavisky, R.C., 98
Boden, C., see Hermann, R., 76
Bosek, M., Grzegorzewski, B., Kowalczyk, A., Lubiński, I., Degradation of postural control system as a consequence of Parkinson's disease and ageing, 215
Brenner, T., see Nizri, E., 46
Briggs, C.A., see Dubé, G.R., 29
Britt, J.M., see Stavisky, R.C., 98
Bubula, N., see Heller, A., 35
Burggraf, D., see Liebetrau, M., 205

Caltagirone, C., see Oliveri, M., 188
Ceyte, H., see Rival, C., 133
Chae, J.-H., see Lee, S.-H., 177
Chen, C., see Makarenko, I.G., 71
chen, Q., see Duan, S., 93
Chen, W., see Duan, S., 93
Chen, Z., Kontonotas, D., Friedmann, D., Pitts-Kiefer, A., Frederick, J.R., Siman, R., Neumar, R.W., Developmental status of neurons selectively vulnerable to rapidly triggered post-ischemic caspase activation, 166
Choi, J.W., see Yoo, B.K., 171
Chung, J.M., see Cui, K.M., 20
Chung, K., see Cui, K.M., 20
Chung, Y.-C., see Lee, S.-H., 177
Colombo, C., see Benedetti, F., 51
Correa, M., see Sanchis-Segura, C., 66
Coubard, O., see Kapoula, Z., 87
Cui, K.M., Li, W.M., Gao, X., Chung, K., Chung, J.M., Wu, G.C., Electroacupuncture relieves chronic visceral hyperalgesia in rats, 20

Daunys, G., see Kapoula, Z., 87
de Gelder, B., Stekelenburg, J.J., Naso-temporal asymmetry of the N170 for processing faces in normal viewers but not in developmental prosopagnosia, 40
de Carvalho Myskiw, J., see Royes, L.F.F., 116
Desjardins, J., see Leclerc, C., 154
Dong, Z.-Q., Ma, F., Xie, H., Wang, Y.-Q., Wu, G.-C., Changes of expression of glial cell line-derived neurotrophic factor and its receptor in dorsal root ganglions and spinal dorsal horn during electroacupuncture treatment in neuropathic pain rats, 143
Duan, S., Yin, H., Chen, W., Xing, Q., Chen, Q., Guo, T., Gao, J., Li, X., Gao, R., Liu, Z., Gu, N., Feng, G., He, L., No association between the serotonin 1B receptor gene and schizophrenia in a case–control and family-based association study, 93
Dubé, G.R., Kohlhaas, K.L., Rueter, L.E., Surowy, C.S., Meyer, M.D., Briggs, C.A., Loss of functional neuronal nicotinic receptors in dorsal root ganglion neurons in a rat model of neuropathic pain, 29

Earnest, D.J., see Allen, G.C., 200
Egashira, N., see Mishima, K., 194

Feng, G., see Duan, S., 93
Feng, G., see Wu, S., 1
Fighera, M.R., see Royes, L.F.F., 116
Fiorenza, N.G., see Royes, L.F.F., 116
Frederick, J.R., see Chen, Z., 166
Friedmann, D., see Chen, Z., 166
Frussa-Filho, R., see Royes, L.F.F., 116
Fujiwara, M., see Mishima, K., 194
Furian, A.F., see Royes, L.F.F., 116

Gao, J., see Duan, S., 93
Gao, R., see Duan, S., 93
Gao, R., see Wu, S., 1
Gao, X., see Cui, K.M., 20
Gatto, L., see Makarenko, I.G., 71
George, M.S., see Lee, S.-H., 177
Georgiou, C.D., see Patsoukis, N., 24
Gilad, G.M., Kagan, H.M., Gilad, V.H., Evidence for increased lysyl oxidase, the extracellular matrix-forming enzyme, in Alzheimer's disease brain, 210
Gilad, V.H., see Gilad, G.M., 210
Goncalves, C.G., see Makarenko, I.G., 71
Gross, M., see Heller, A., 35
Grzegorzewski, B., see Bosek, M., 215
Gu, N., see Duan, S., 93
Gu, N., see Wu, S., 1
Guo, T., see Duan, S., 93

Hagelberg, N., see Martikainen, I.K., 149
Hamann, G.F., see Liebetrau, M., 205
Han, B.H., see Yoo, B.K., 171
Harano, M., see Morita, Y., 182
He, L., see Duan, S., 93
He, L., see Wu, S., 1
Heller, A., Won, L., Bubula, N., Hessefort, S., Kurutz, J.W., Reddy, G.A., Gross, M., Long-chain fatty acids increase cellular dopamine in an immortalized cell line (MN9D) derived from mouse mesencephalon, 35

doi:10.1016/S0304-3940(05)00165-5

Hermann, R., Poppe, L., Pilbák, S., Boden, C., Maurer, J., Weber, S., Lerchl, A., Predicted 3D-structure of melanopsin, the non-rod, non-cone photopigment of the mammalian circadian clock, from Djungarian hamsters (*Phodopus sungorus*), 76
Hessefort, S., see Heller, A., 35
Hietala, J., see Martikainen, I.K., 149

Ikeda, T., see Mishima, K., 194
Ikenoue, T., see Mishima, K., 194
Imamura, T., see Morita, Y., 182
Inada, T., see Morita, Y., 182
Iwasaki, K., see Mishima, K., 194
Iwata, N., see Morita, Y., 182
Iyo, M., see Morita, Y., 182

Jäger, G., see Liebetrau, M., 205
Jun, T.-Y., see Lee, S.-H., 177
Jung, K.-H., see Lee, S.-H., 177

Kagan, H.M., see Gilad, G.M., 210
Kapoula, Z., Yang, Q., Coubard, O., Daunys, G., Orssaud, C., Contextual influence of TMS on the latency of saccades and vergence, 87
Khalili, P., see Pan, Y., 60
Kim, H.-C., see Yoo, B.K., 171
Kim, K.-S., see Lee, S.-H., 177
Kim, W., see Lee, S.-H., 177
Kim, W.-K., see Yoo, B.K., 171
King, A.E., see Ackley, M.A., 102
King, A.G., Sanger, G.J., Effect of a selective and potent central nervous system penetrant, neurokinin-3 receptor antagonist (SB-222200), on cisplatin-induced emesis in the ferret, 5
Kishimoto, M., see Morita, Y., 182
Kitamoto, T., see Shin, R.-W., 14
Ko, K.H., see Yoo, B.K., 171
Koch, G., see Oliveri, M., 188
Kohlhaas, K.L., see Dubé, G.R., 29
Komiyama, T., see Morita, Y., 182
Kontonotas, D., see Chen, Z., 166
Kowalczyk, A., see Bosek, M., 215
Kuroda, S., see Morita, Y., 182
Kurutz, J.W., see Heller, A., 35

Lassonde, M., see Leclerc, C., 154
Leclerc, C., Segalowitz, S.J., Desjardins, J., Lassonde, M., Lepore, F., EEG coherence in early-blind humans during sound localization, 154
Lee, S.-H., Kim, W., Chung, Y.-C., Jung, K.-H., Bahk, W.-M., Jun, T.-Y., Kim, K.-S., George, M.S., Chae, J.-H., A double blind study showing that two weeks of daily repetitive TMS over the left or right temporoparietal cortex reduces symptoms in patients with schizophrenia who are having treatment-refractory auditory hallucinations, 177
Lepore, F., see Leclerc, C., 154
Lerchl, A., see Hermann, R., 76
Li, W.M., see Cui, K.M., 20
Li, X., see Duan, S., 93
Li, X., see Wu, S., 1
Liebetrau, M., Burggraf, D., Wunderlich, N., Jäger, G., Linz, W., Hamann, G.F., ACE inhibition reduces activity of the plasminogen/plasmin and MMP systems in the brain of spontaneous hypertensive stroke-prone rats, 205
Lim, G., Wang, S., Mao, J., cAMP and protein kinase A contribute to the downregulation of spinal glutamate transporters after chronic morphine, 9
Linz, W., see Liebetrau, M., 205
Liu, Z., see Duan, S., 93
Lorenzi, C., see Benedetti, F., 51
Lubiński, I., see Bosek, M., 215

Ma, F., see Dong, Z.-Q., 143
Maeda, M., see Shin, R.-W., 14
Magoul, R., see Ouezzani, S.E., 107
Makarenko, I.G., Meguid, M.M., Gatto, L., Goncalves, C.G., Ramos, E.J.B., Chen, C., Ugrumov, M.V., Hypothalamic 5-HT_{1B}-receptor changes in anorectic tumor bearing rats, 71
Mansikka, H., see Martikainen, I.K., 149
Mao, J., see Lim, G., 9
Martikainen, I.K., Hagelberg, N., Mansikka, H., Hietala, J., Någren, K., Scheinin, H., Pertovaara, A., Association of striatal dopamine D2/D3 receptor binding potential with pain but not tactile sensitivity or placebo analgesia, 149
Matsokis, N.A., see Patsoukis, N., 24
Maurer, J., see Hermann, R., 76
Meguid, M.M., see Makarenko, I.G., 71
Mello, C.F., see Royes, L.F.F., 116
Meshulam, H., see Nizri, E., 46
Meyer, M.D., see Dubé, G.R., 29
Míguez, J.M., see Vieira, R., 111
Miquel, M., see Sanchis-Segura, C., 66
Mishima, K., Ikeda, T., Aoo, N., Takai, N., Takahashi, S., Egashira, N., Ikenoue, T., Iwasaki, K., Fujiwara, M., Hypoxia-ischemic insult in neonatal rats induced slowly progressive brain damage related to memory impairment, 194
Montagne, G., see Bastin, J., 121
Morio, A., see Morita, Y., 182
Morita, Y., Ujike, H., Tanaka, Y., Uchida, N., Nomura, A., Ohtani, K., Kishimoto, M., Morio, A., Imamura, T., Sakai, A., Inada, T., Harano, M., Komiyama, T., Yamada, M., Sekine, Y., Iwata, N., Iyo, M., Sora, I., Ozaki, N., Kuroda, S., A nonsynonymous polymorphism in the human fatty acid amide hydrolase gene did not associate with either methamphetamine dependence or schizophrenia, 182

Nagamine, M., see Yamada, H., 137
Neumar, R.W., see Chen, Z., 166
Någren, K., see Martikainen, I.K., 149
Nizri, E., Adani, R., Meshulam, H., Amitai, G., Brenner, T., Bifunctional compounds eliciting both anti-inflammatory and cholinergic activity as potential drugs for neuroinflammatory impairments, 46
Nomura, A., see Morita, Y., 182

Ohtani, K., see Morita, Y., 182
Okumura, T., see Yamada, H., 137
Oliveira, M.S., see Royes, L.F.F., 116
Oliveri, M., Koch, G., Torriero, S., Caltagirone, C., Increased facilitation of the primary motor cortex following 1 Hz repetitive transcranial magnetic stimulation of the contralateral cerebellum in normal humans, 188
Olivier, I., see Rival, C., 133
Orssaud, C., see Kapoula, Z., 87
Ouezzani, S.E., Tramu, G., Magoul, R., Seasonal variations of the β-endorphin neuronal system in the mediobasal hypothalamus of the jerboa (*Jaculus orientalis*), 107
Ozaki, N., see Morita, Y., 182

Pan, Y., Khalili, P., Ripps, H., Qian, H., Pharmacology of $GABA_C$ receptors: responses to agonists and antagonists distinguish A- and B-subtypes of homomeric ρ receptors expressed in *Xenopus* oocytes, 60
Panagopoulos, N.T., see Patsoukis, N., 24
Papapostolou, I., see Patsoukis, N., 24
Patsoukis, N., Papapostolou, I., Zervoudakis, G., Georgiou, C.D., Matsokis, N.A., Panagopoulos, N.T., Thiol redox state and oxidative stress in midbrain and striatum of weaver mutant mice, a genetic model of nigrostriatal dopamine deficiency, 24
Pertovaara, A., see Martikainen, I.K., 149
Pilbák, S., see Hermann, R., 76
Pitts-Kiefer, A., see Chen, Z., 166

Pontiggia, A., see Benedetti, F., 51
Poppe, L., see Hermann, R., 76
Prediger, R.D.S., Takahashi, R.N., Modulation of short-term social memory in rats by adenosine A_1 and A_{2A} receptors, 160

Qian, H., see Pan, Y., 60

Ramos, E.J.B., see Makarenko, I.G., 71
Reddy, G.A., see Heller, A., 35
Ripps, H., see Pan, Y., 60
Rival, C., Ceyte, H., Olivier, I., Developmental changes of static standing balance in children, 133
Royes, L.F.F., Fighera, M.R., Furian, A.F., Oliveira, M.S., Fiorenza, N.G., de Carvalho Myskiw, J., Frussa-Filho, R., Mello, C.F., Involvement of NO in the convulsive behavior and oxidative damage induced by the intrastriatal injection of methylmalonate, 116
Rueter, L.E., see Dubé, G.R., 29

Saido, T.C., see Shin, R.-W., 14
Sakai, A., see Morita, Y., 182
Sanchis-Segura, C., Correa, M., Miquel, M., Aragon, C.M.G., Catalase inhibition in the Arcuate nucleus blocks ethanol effects on the locomotor activity of rats, 66
Sanger, G.J., see King, A.G., 5
Schapira, A.H.V., see Taanman, J.-W., 56
Scheinin, H., see Martikainen, I.K., 149
Segalowitz, S.J., see Leclerc, C., 154
Sekine, Y., see Morita, Y., 182
Serretti, A., see Benedetti, F., 51
Shin, R.-W., Saido, T.C., Maeda, M., Kitamoto, T., Novel α-secretase cleavage of Alzheimer's amyloid β precursor protein in the endoplasmic reticulum of COS7 cells, 14
Siman, R., see Chen, Z., 166
Smeraldi, E., see Benedetti, F., 51
Sora, I., see Morita, Y., 182
Stavisky, R.C., Britt, J.M., Zuzek, A., Truong, E., Bittner, G.D., Melatonin enhances the in vitro and in vivo repair of severed rat sciatic axons, 98
Stekelenburg, J.J., see de Gelder, B., 40
Surowy, C.S., see Dubé, G.R., 29

Taanman, J.-W., Schapira, A.H.V., Analysis of the trinucleotide CAG repeat from the DNA polymerase γ gene (*POLG*) in patients with Parkinson's disease, 56
Takahashi, N., see Yamada, H., 137
Takahashi, R.N., see Prediger, R.D.S., 160
Takahashi, S., see Mishima, K., 194
Takai, N., see Mishima, K., 194
Takakusaki, K., see Yamada, H., 137
Tanaka, Y., see Morita, Y., 182
Tanno, S., see Yamada, H., 137
Torriero, S., see Oliveri, M., 188
Tramu, G., see Ouezzani, S.E., 107
Truong, E., see Stavisky, R.C., 98

Uchida, N., see Morita, Y., 182
Ugrumov, M.V., see Makarenko, I.G., 71
Ujike, H., see Morita, Y., 182

Vieira, R., Míguez, J.M., Aldegunde, M., GABA modulates day–night variation in melatonin levels in the cerebral ganglia of the damselfly *Ischnura graellsii* and the grasshopper *Oedipoda caerulescens*, 111

Wang, S., see Lim, G., 9
Wang, X.-J., Xu, J.-X., Possible involvement of Ca^{2+} signaling in rotenone-induced apoptosis in human neuroblastoma SH-SY5Y cells, 127
Wang, Y.-Q., see Dong, Z.-Q., 143
Weber, S., see Hermann, R., 76
Won, L., see Heller, A., 35
Wu, G.C., see Cui, K.M., 20
Wu, G.-C., see Dong, Z.-Q., 143
Wu, S., Xing, Q., Gao, R., Li, X., Gu, N., Feng, G., He, L., Response to chlorpromazine treatment may be associated with polymorphisms of the DRD2 gene in Chinese schizophrenic patients, 1
Wunderlich, N., see Liebetrau, M., 205

Xie, H., see Dong, Z.-Q., 143
Xing, Q., see Duan, S., 93
Xing, Q., see Wu, S., 1
Xu, J.-X., see Wang, X.-J., 127

Yamada, H., Takahashi, N., Tanno, S., Nagamine, M., Takakusaki, K., Okumura, T., A selective orexin-1 receptor antagonist, SB334867, blocks 2-DG-induced gastric acid secretion in rats, 137
Yamada, M., see Morita, Y., 182
Yang, Q., see Kapoula, Z., 87
Yin, H., see Duan, S., 93
Yoo, B.K., Choi, J.W., Han, B.H., Kim, W.-K., Kim, H.-C., Ko, K.H., Role of MAPK/ERK1/2 in the glucose deprivation-induced death in immunostimulated astroglia, 171

Zervoudakis, G., see Patsoukis, N., 24
Zivotofsky, A.Z., A dissociation between perception and action in open-loop smooth-pursuit ocular tracking of the Duncker Illusion, 81
Zuzek, A., see Stavisky, R.C., 98